



No se puede entregar: Undeliverable: Clase Dibujo Arquitectónico 1 - Grupo Viernes 📧💡

Desde Microsoft Outlook

<MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@tauusbmededu.onmicrosoft.com>

Fecha Sáb 01/08/2026 18:59

Para ana.agudelo261@tau.usbmed.edu.co <ana.agudelo261@tau.usbmed.edu.co>; anasofiaagugo.618@gmail.com <anasofiaagugo.618@gmail.com>; ana.alzate261@tau.usbmed.edu.co <ana.alzate261@tau.usbmed.edu.co>; daniel.higuita261@tau.usbmed.edu.co <daniel.higuita261@tau.usbmed.edu.co>; guillermo.perez251@tau.usbmed.edu.co <guillermo.perez251@tau.usbmed.edu.co>; isabela.uribe261@tau.usbmed.edu.co <isabela.uribe261@tau.usbmed.edu.co>; jeronimo.jaramillo261@tau.usbmed.edu.co <jeronimo.jaramillo261@tau.usbmed.edu.co>; juan.arenas261@tau.usbmed.edu.co <juan.arenas261@tau.usbmed.edu.co>; karen.ibarra261@tau.usbmed.edu.co <karen.ibarra261@tau.usbmed.edu.co>; klehidy.lozano261@tau.usbmed.edu.co <klehidy.lozano261@tau.usbmed.edu.co>; maria.restrepo261@tau.usbmed.edu.co <maria.restrepo261@tau.usbmed.edu.co>; mariana.mira261@tau.usbmed.edu.co <mariana.mira261@tau.usbmed.edu.co>; miguel.garcia261@tau.usbmed.edu.co <miguel.garcia261@tau.usbmed.edu.co>; norman.montes261@tau.usbmed.edu.co <norman.montes261@tau.usbmed.edu.co>; paula.moreno261@tau.usbmed.edu.co <paula.moreno261@tau.usbmed.edu.co>; salome.velez261@tau.usbmed.edu.co <salome.velez261@tau.usbmed.edu.co>; santiago.rodriguez261@tau.usbmed.edu.co <santiago.rodriguez261@tau.usbmed.edu.co>; sofia.rodriguez261@tau.usbmed.edu.co <sofia.rodriguez261@tau.usbmed.edu.co>; susana.martinez261@tau.usbmed.edu.co <susana.martinez261@tau.usbmed.edu.co>; vanesa.giraldo261@tau.usbmed.edu.co <vanesa.giraldo261@tau.usbmed.edu.co>

📎 1 archivo adjunto (3 KB)

Clase Dibujo Arquitectónico 1 - Grupo Viernes 📧💡;

Delivery has failed to these recipients or groups:

ana.agudelo261@tau.usbmed.edu.co

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

anasofiaagugo.618@gmail.com

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

ana.alzate261@tau.usbmed.edu.co

This message couldn't be delivered because the sending email address was not recognized as

a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

daniel.higuita261@tau.usbmed.edu.co

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

guillermo.perez251@tau.usbmed.edu.co

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

isabela.uribe261@tau.usbmed.edu.co

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

jeronimo.jaramillo261@tau.usbmed.edu.co

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

juan.arenas261@tau.usbmed.edu.co

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

karen.ibarra261@tau.usbmed.edu.co

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

klehidy.lozano261@tau.usbmed.edu.co

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was,

suspected of sending spam. Contact the organization's email admin for help and give them this error message.

maria.restrepo261@tau.usbmed.edu.co

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

mariana.mira261@tau.usbmed.edu.co

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

miguel.garcia261@tau.usbmed.edu.co

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

norman.montes261@tau.usbmed.edu.co

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

paula.moreno261@tau.usbmed.edu.co

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

salome.velez261@tau.usbmed.edu.co

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

santiago.rodriguez261@tau.usbmed.edu.co

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

error message.

sofia.rodriguez261@tau.usbmed.edu.co

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

susana.martinez261@tau.usbmed.edu.co

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

vanesa.giraldo261@tau.usbmed.edu.co

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

anasofia.alzate07@gmail.com

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

danijaja2006@gmail.com

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

gmopa15@gmail.com

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

isabela.uribep@gmail.com

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

error message.

jaramillogonzalezjeronimo@gmail.com

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

juanjosearenascardona2007@gmail.com

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

Karenibarrasalin@gmail.com

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

saberra25@gmail.com

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

Maferestrepo2901@gmail.com

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

mgmariana33@gmail.com

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

at1041410@gmail.com

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

error message.

montesnorman4@gmail.com

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

Morenopaula736@gmail.com

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

salomevelez0106@gmail.com

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

Santirm313@gmail.com

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

sofirodriguezv13@gmail.com

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

Johnja32@hotmail.com

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

giraldovanesa310@gmail.com

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

error message.

tomas.franco261@tau.usbmed.edu.co

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

tomasherrera1105@gmail.com

This message couldn't be delivered because the sending email address was not recognized as a valid sender. The most common reason for this error is that the email address is, or was, suspected of sending spam. Contact the organization's email admin for help and give them this error message.

Diagnostic information for administrators:

Generating server: BY5PR01MB5972.prod.exchangelabs.com

ana.agudelo261@tau.usbmed.edu.co

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

anasofiaagugo.618@gmail.com

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

ana.alzate261@tau.usbmed.edu.co

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

daniel.higuita261@tau.usbmed.edu.co

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

guillermo.perez251@tau.usbmed.edu.co

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

isabela.uribe261@tau.usbmed.edu.co

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

jerónimo.jaramillo261@tau.usbmed.edu.co

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

juan.arenas261@tau.usbmed.edu.co

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

karen.ibarra261@tau.usbmed.edu.co

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

klehidy.lozano261@tau.usbmed.edu.co

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

maria.restrepo261@tau.usbmed.edu.co

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

mariana.mira261@tau.usbmed.edu.co

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

miguel.garcia261@tau.usbmed.edu.co

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

norman.montes261@tau.usbmed.edu.co

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

paula.moreno261@tau.usbmed.edu.co

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

salome.velez261@tau.usbmed.edu.co

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

santiago.rodriguez261@tau.usbmed.edu.co

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

sofia.rodriguez261@tau.usbmed.edu.co

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

susana.martinez261@tau.usbmed.edu.co

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

vanesa.giraldo261@tau.usbmed.edu.co

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

anasofia.alzate07@gmail.com

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

daniyajaja2006@gmail.com

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

gmopa15@gmail.com

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

isabela.uribep@gmail.com

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

jaramillogonzalezjeronimo@gmail.com

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

juanjosearenascardona2007@gmail.com

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

Karenibarrasalinas@gmail.com

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

saberra25@gmail.com

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

Maferestrepo2901@gmail.com

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

mgmariana33@gmail.com

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

at1041410@gmail.com

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

montesnorman4@gmail.com

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

Morenopaula736@gmail.com

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

salomevelez0106@gmail.com

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

Santirm313@gmail.com

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

sofirodriguezv13@gmail.com

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

Johnja32@hotmail.com

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

giraldivanesa310@gmail.com

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

tomas.franco261@tau.usbmed.edu.co

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

tomasherrera1105@gmail.com

Remote server returned '550 5.1.8 Access denied, bad outbound sender AS(42004)'

Original message headers:

Received: from BY5PR01MB5972.prod.exchangelabs.com ([fe80::fe:e273:c9dd:14ed])

by BY5PR01MB5972.prod.exchangelabs.com ([fe80::fe:e273:c9dd:14ed%3]) with

mapi id 15.21.0270.012; Sat, 1 Aug 2026 23:59:25 +0000

MIME-Version: 1.0

Content-Type: text/plain

Date: Sat, 1 Aug 2026 23:59:25 +0000

Message-ID:

<BY5PR01MB59722886A0D13AEC37561290E6D72@BY5PR01MB5972.prod.exchangelabs.com>

Subject:

=?utf-8?B?Q2xhc2UgRGlidWpvIEFycXVpdGVjdMOzbnljbyAxIC0gR3JlcG8gVmllcm51?=>

=?utf-8?B?cyDinI3vuI/wn5Kh?=>